



























AQL























SWITCHES














Item	Series		Type	Features	Dimensions (mm)			Earth terminal	RoHS Lead-Free	Package
					W	D	H			
Tact Switch	TSBA		Surface Mount	Thinness	4.6	4.2	0.5	-	○	5,000pcs/Reel
	TSBB			Thinness	4.6	4.2	0.5	-	○	5,000pcs/Reel
	TSBC			Thinness	4.8	4.8	0.5	-	○	4,000pcs/Reel
	TSBD			Thinness	4.8	4.8	0.4	-	○	5,000pcs/Reel
	TSKA			Dust-proof	5.2	5.2	0.8	-	○	4,000pcs/Reel
	TSKB			Dust-proof	5.2	5.2	1.5	-	○	4,000pcs/Reel
	TSKC			Dust-proof	5.2	5.2	1.7	-	○	4,000pcs/Reel
	TSKD			Dust-proof	4.8	4.8	0.8	-	○	4,000pcs/Reel
	TSK-P			Dust-proof	5.2	5.2	0.8~1.7	○	○	4,000pcs/Reel
Tact Switch	TSSK		Surface Mount	Miniature	3.35	3.35	1.5/2.0	○	○	4,000pcs/Reel
	TSCA			Miniature	3.5	3.0	1.8	-	○	3,000pcs/Reel
	TSJ			Miniature	3.9	2.9	2.0	-	○	3,000pcs/Reel
	TS43			Miniature	4.2	3.2	2.5	-	○	3,000pcs/Reel
	TSG			Miniature	4.7	3.5	2.1	-	○	3,000pcs/Reel
Tact Switch	TSU		Through Hole	Dust-proof	6.0	3.7	2.5	-	○	3,000pcs/Reel
	TSU-P			Dust-proof	6.0	3.7	2.5	○	○	3,000pcs/Reel
	TSSURX				7.0	3.0	2.0	-	○	3,000pcs/Reel
	TSYY			Normal closed	6.0	3.8	2.5	-	○	3,000pcs/Reel
	TSYS			Normal closed	6.0	5.0	1.6	-	○	3,000pcs/Reel
	TSH-J				6.0	3.5	4.3/5.0	-	○	1,500pcs/Reel
	TSH-G				6.0	3.5	4.3/5.0	-	○	1,500pcs/Reel

Item	Series		Type	Features	Dimensions (mm)			Earth terminal	RoHS Lead-Free	Package		
					W	D	H					
Tact Switch	TSH-P		Through Hole		6.0	3.5	4.3/5.0	-	○	2,000pcs/Bulk		
	TSH-S				6.0	3.5	4.3/5.0	-	○	2,000pcs/Bulk		
	TSH-L				6.0	3.5	4.3/5.0	-	○	2,000pcs/Bulk		
Tact Switch (Side Push)	TSCS		Surface Mount	Miniature	3.5	3.0	1.4	-	○	3,000pcs/Reel		
	TSCF			Miniature	4.7	3.5	1.6	-	○	3,000pcs/Reel		
	TS4V			Miniature	4.5	3.35	3.4	-	○	2,000pcs/Reel		
	TSSH-VS			Miniature	4.6	2.3	3.5	-	○	4,000pcs/Reel		
	TSSH-V			Miniature	4.6	2.3	3.5	-	○	4,000pcs/Reel		
	TSG-V			Miniature	5.7	2.5	3.5	-	○	1,000pcs/Reel		
	TS01					6.0	6.0	7.4	○	○	400pcs/Reel	
	TSV-S					6.0	6.0	3.15~15.85	-	○	500pcs/Reel	
	TSH-VS					7.0	2.5	3.5	-	○	2,000pcs/Reel	
	TSH-V			Through Hole		6.0	3.5	4.3/5.0	○	○	2,000pcs/Bulk	
	TSV					6.0	6.0	3.15~15.85	-	○	1,000pcs/Bulk	
	TSQE						12.0	12.0	11.2	-	○	500pcs/Bulk
	TSQF						12.0	12.0	6.45	-	○	500pcs/Bulk
Tact Switch	TSX-G		Surface Mount			4.5	4.5	3.8/7.0	-	○	2,000pcs/Reel(H:3.8) 750pcs/Reel(H:7.0)	
	TSAU				6.0	6.0	4.3	-	○	500pcs/Bulk		
	TSS					6.0	6.0	4.3~9.5	-	○	1,000pcs/Reel(H:4.3/5.0) 750pcs/Reel(H:7.0/7.3) 500pcs/Reel(H:8.5/9.5)	
	TSL-S			Dust-proof	6.2	6.2	2.0~3.5	-	○	2,000pcs/Reel(H:2.0~3.1) 1500pcs/Reel(H:3.5)		
	TSL-P			Dust-proof	6.2	6.2	2.0~3.5	○	○	2,000pcs/Reel(H:2.0~3.1) 1500pcs/Reel(H:3.5)		

Item	Series		Type	Features	Dimensions (mm)			Earth terminal	RoHS Lead-Free	Package	
					W	D	H				
Tact Switch	TSZ		Surface Mount	Dust-proof	6.2	6.1	2.5~3.5	○	○	2,000pcs/Reel	
	TSO-J			Dust-proof	6.2	6.2	2.5~5.2	-	○	1,500pcs/Reel(H:2.5/3.5) 1,000pcs/Reel(H:5.2)	
	TSO-G			Dust-proof	6.2	6.2	2.5~5.2	-	○	1,500pcs/Reel(H:2.5/3.5) 1,000pcs/Reel(H:5.2)	
	TSX		Through Hole		4.5	4.5	3.8/7.0	-	○	2,000pcs/Bulk	
	TSA				6.0	6.0	4.3~17.0	-	○	2,000pcs/Bulk	
	TSP				6.0	6.0	4.3~17.0	○	○	2,000pcs/Bulk	
	TS6A			Long-travel	6.0	6.0	5.0	-	○	1,000pcs/Reel	
	TSN6				7.2	7.2	2.7	-	○	60pcs/Tube	
	TSQA				12.0	12.0	4.3	-	○	500pcs/Bulk	
	TSQB				12.0	12.0	7.5	-	○	500pcs/Bulk	
	TSQC				12.0	12.0	12.0	-	○	500pcs/Bulk	
	TSQG				12.0	12.0	7.3	-	○	500pcs/Bulk	
	TSD			Two-Key	6.0	6.0	3.85~15.85	-	○	250pcs/Bulk	
	TSM			Multiple	6.2	6.2	3.15~8.35	-	○	1,000pcs/Reel(5 Key) 1,250pcs/Reel(4 Key)	
Tact Switch	TSL-SW			Surface Mount	Washable	6.0	6.0	3.1	-	○	2,000pcs/Reel(H:2.0~3.1) 1,500pcs/Reel(H:3.5)
	TSL-PW				Washable	6.0	6.0	3.1	○	○	2,000pcs/Reel(H:2.0~3.1) 1,500pcs/Reel(H:3.5)
	TSW6-S				Washable	7.2	7.2	4.7~10.0	-	○	1200pcs/Reel(H:4.7) 1000pcs/Reel(H:5.2) 800pcs/Reel(H:6.4) 500pcs/Reel(H:10.0)
	TSW6-V		Through Hole	Washable	7.2	7.2	1.8~7.0	-	○	50pcs/Tube	
	TSW6-G			Washable	7.2	7.2	4.7~10.0	○	○	60pcs/Tube	
	TSW6-O			Washable	7.2	7.2	4.7~10.0	-	○	60pcs/Tube	

Item	Series		Type	Features	Dimensions (mm)			Earth terminal	RoHS Lead-Free	Package
					W	D	H			
Tact Switch	TSWB		Through Hole	Washable	10.0	10.0	13.0~23.8	-	○	100pcs/Bulk
	TSWBK			Washable	10.0	10.0	33.6	-	○	100pcs/Bulk
	TSWBK-9001			Washable	10.0	10.0	33.6	-	○	100pcs/Bulk
Push Switch	HSP2248		Through Hole	Self-lock	7.0	7.0	9.5	-	○	100pcs/Tray
	HSP2261			Self-lock	7.0	7.0	12.5	-	○	500pcs/Bulk
	HSP2262			Self-lock	8.5	8.5	14.0	-	○	500pcs/Bulk
	HSP2263			Self-lock	8.0	8.0	13.5	-	○	500pcs/Bulk
	HSP2266			Self-lock	5.8	5.8	10.0	-	○	500pcs/Bulk
Light Push Switch	DPS12			Lock/Unlock	17.6	12.5	14.0	-	○	100pcs/Tray
	DPS17			Lock/Unlock	17.6	17.3	14.0	-	○	100pcs/Tray
	LPA				10.0	10.0	13.0	-	○	100pcs/Tray
	LPB				14.8	9.8	12.0	-	○	100pcs/Tray
	LPC				10.0	10.0	8.2	-	○	100pcs/Tray
	LP61				6.0	6.0	8.5	-	○	500pcs/Bulk
	LP62				6.0	6.0	9.6	-	○	200pcs/Tray
	LTS					12.0	12.0	8.0	-	○

Item	Series		Type	Features	Dimensions (mm)			Earth terminal	RoHS Lead-Free	Package
					W	D	H			
Dome Arrays	FDC-4661-N		Sheet		Ø 4.0	3.9	0.25	-	○	100sheet/Bulk
	FDC-4816-N				Ø 4.0	3.8	0.25	-	○	100sheet/Bulk
	FDC-5662-N				Ø 5.0	4.9	0.28	-	○	100sheet/Bulk
	FDC-9091-N				Ø 6.0	4.5	0.31	-	○	100sheet/Bulk
	FDC-9826-N				Ø 5.0	3.7	0.29	-	○	100sheet/Bulk
Tact Switch	TSH-T		Radial		6.0	3.5	4.3/5.0	-	○	1,000pcs/Box
	TSH-VT				6.0	3.5	3.15/3.85	-	○	1,000pcs/Box
	TSVR-T				6.0	6.0	4.8	-	○	700pcs/Box
	TST				6.0	6.0	4.3~9.5	-	○	1,000pcs/Box
	TSTAR				6.0	6.0	4.3~9.5	-	○	1,000pcs/Box
	TSWC			Washable		Ø 10		13.0/23.2	-	○



Indian Technological Products Private Limited

22-23, Hartron Complex, Electronic City, Sector-18,
Udyog Vihar, Gurgaon 122016 (Haryana), India.

Tel No.: +91 124-4013646/47

Fax No.: +91 124-2398277

E-mail: sales@itpindia.in

www.itpindia.com